

The product as detailed in this certificate has satisfactorily complied with the requirements of the appropriate Standard(s) and the Certification Scheme Requirement of CREAM Certification Services (CCS)

Name and Address of Certificate Holder

Best Quality Batching Sdn Bhd  
No. 1180, Bangunan Bei, Lorong 2,  
Krokop, Miri 98000, Sarawak

Scope of Certification

Particulars of product			
Product Name		Product Standard(s)	
Ready-Mixed Concrete		MS EN 206:2016 CIS 21:2018	
Product Descriptions			
Producer's Concrete Code; G15N, G20N, G25N, G30N, G35N Type of Concrete; Designed Concrete Strength Class; C12/15, C16/20, C20/25, C25/30, C28/35 (For details, please refer to the Schedule on the back page)			
Brand Name		Country of Origin	
Manufacturer ID: Best Quality Batching Sdn Bhd		Malaysia	
Name and Address of Manufacturer			
Best Quality Batching Sdn Bhd (Miri Plant) Lot 103, Jalan Kuala Baram, Lutong, 98100, Miri, Sarawak.			
Certificate and Validity Dates:	Certification Number		
	CCS PC 1324-24135		
	Date of Initial Certification	Date of Renewal	Valid Until
	22 November 2024	-	21 November 2025

This product conformity certificate is issued based on sampling audit carried out in reference to product standard(s), manufacturer's production control system, product production facilities and requirements of the other supporting documents such as quality management system etc. This Certificate remains the property of CCS and shall be returned upon request. The use of this certificate is subject to the terms and conditions of the Certification Agreement.

Certificate is approved and issued by



**Ir. M. Ramuseren**  
Chief Executive Officer

CONSTRUCTION RESEARCH INSTITUTE OF MALAYSIA (CREAM) (646889-V)  
Makmal Kerja Raya Malaysia  
Lot 8, Seksyen 91, Jalan Chan Sow Lin, 55200 Kuala Lumpur  
Email: ccs@cream.my Tel: 03 2779 1479 Fax: 03 2779 1474  
Website • <https://www.cream.my/certification>

Serial No: 240271




**PRODUCT CERTIFICATION SCHEME**

Certificate Number : CCS PC 1324-24135  
 Product Name : Ready-Mixed Concrete  
 Product Standard : MS EN 206:2016 & CIS 21:2018  
 Date of Initial Certification : 22 November 2024  
 Date of Renewal : -  
 Valid Until : 21 November 2025  
 Name and Address of Certificate of Holder : Best Quality Batching Sdn Bhd  
 No. 1180, Bangunan Bei, Lorong 2, Krokop, Miri 98000, Sarawak.  
 Factory/Plant Identification : BQB-013-W-01  
 Name and Address of Manufacturer : Best Quality Batching Sdn Bhd (Miri Plant)  
 Lot 103, Jalan Kuala Baram, Lutong, 98100, Miri, Sarawak.

The certificate holder is solely responsible for the quality and conformity of the product as detail in this certificate with the requirements of the appropriate Standard(s) and the Certification Scheme Requirements of CREAM Certification Services (CCS).

No.	Particulars of Producer's Concrete Code					
1.	Concrete Code	G15N	G20N	G25N	G30N	G35N
2.	Type of concrete	Designed Concrete				
3.	Compressive strength class	C12/15	C16/20	C20/25	C25/30	C28/35
4.	Water/(cement + K x addition) ratio	0.60	0.59	0.50	0.45	0.45
5.	Slump (mm)	125 ± 25				
6.	Minimum (cement + addition) content, kg/m <sup>3</sup>	280	300	350	370	380
7.	Maximum aggregate size, mm	20				
8.	Type of production	Initial Production				
9.	Type of batching plant	Wet Batching Plant (W)				
10.	Type of cement	CEM I 42.5 N				
11.	Type of admixture	Real Set 231SD - Set Retarding and Water Reducing Admixture Real Flow 611 - Superplasticising Admixture				

Source of cement : Cahya Mata Cement Sdn Bhd (PPS Reg. No.: 1160609SR0131)  
 Source of coarse aggregate : Hollystone Quarry Sdn Bhd (Long Lama Quarry)  
 Source of fine aggregate : Shing Liang Shipping Sdn Bhd (Kuala Baram Miri)  
 Source of admixture : Real Point Sdn Bhd  
 Source of water : Laku Management Sdn Bhd (Potable Water)

End of page